

5. References

- Barbour, M.T., J. Gerritsen, B.D. Snyder, and J.B. Stribling. 1999. Rapid Bioassessment Protocols for Use in Streams and Wadeable Rivers: Periphyton, Benthic Macroinvertebrates and Fish, Second Edition. EPA 841-B-99-002. U.S. Environmental Protection Agency; Office of Water; Washington, D.C.
- Fairfax County Health Department. 2002. Stream Water Quality Report. 48pp. Available at: <http://www.fairfaxcounty.gov/service/hd/strannualrpt.htm#data>.
- Fausch, K. D., J. R. Karr, and P. R. Yant. 1984. Regional application of an index of biotic integrity based on stream fish communities. Transactions of the American Fisheries Society 113:39-55.
- Hall, L. W. Jr., M. C. Scott, W. D. Killen Jr., and R. D. Anderson. 1996. The effects of land-use characteristics and acid sensitivity on the ecological status of Maryland coastal plain streams. Env. Tox. Chem. 15(3):384-394.
- Jenkins, R. E. and N. M. Burkhead. 1993. Freshwater Fishes of Virginia. American Fisheries Society, Bethesda, MD.
- Karr, J. R. 1981. Assessment of biotic integrity using fish communities. Fisheries 6(6):21-27.
- Karr, J. R., K. D. Fausch, P. L. Angermeier, P. R. Yant, I. J. Schlosser. 1986. Assessing biological integrity in running waters: a method and its rationale. Illinois Natural History Survey Special Publication 5.
- Kazyah, P. F. 1997. Maryland Biological Stream Survey Sampling Manual. Maryland Department of Natural Resources, Monitoring and Non-tidal Assessment Division.
- Maxted, J.R., M.T. Barbour, J. Gerritsen., V. Poretti, N. Primrose, A. Silvia, D. Penrose, and R. Renfrow. 1999. Assessment Framework for Mid-Atlantic Coastal Plain Streams Using Benthic Macroinvertebrates. EPA NHEERL-NAR-X-255. USEPA, Region 3, Mid-Atlantic Integrated Assessment Programs, Fort Meade, MD
- Montgomery County Department of Environmental Protection. 1998. Montgomery County Countywide Stream Protection Strategy.
- New Millennium Occoquan Watershed Task Force, 2003. Fulfilling the Promise: The Occoquan Watershed in the New Millennium, Report to the Fairfax County Board of Supervisors by the New Millennium Occoquan Watershed Task Force, January 27, 2003.
- New Jersey Department of Environmental Protection. 2000. 2000 IBI Summary Report.

- North Carolina Department of Environment and Natural Resources. 2001. Standard Operating Procedure, Biological Monitoring: Stream Fish Community Assessment & Fish Tissue.
- OWML, 2005. Occoquan Watershed Monitoring Laboratory Web site: <http://www.owml.vt.edu/>, accessed March 29, 2005.
- Roth, N. E. et al. 2000. Refinement and validation of a fish index of biotic integrity for Maryland streams. Maryland Department of Natural Resources, Chesapeake Bay and Watershed Programs, Monitoring and Non-tidal Assessment.
- Smogor, R. A. and P. L. Angermeier. 1999. Effects of drainage basin and anthropogenic disturbance on relations between stream size and IBI metrics in Virginia. Pages 249-272 in T.P. Simon (editor). *Assessing the sustainability and biological integrity of water resources using fish communities*. CRC Press, Boca Raton, Florida
- Teels, B. M. and T. J. Danielson. 2001. Using a regional index of biotic integrity (IBI) to characterize the condition of northern Virginia streams with emphasis on the Occoquan Watershed: A case study. NRCS publication. 190-13-1.
- USEPA. 1986. Quality Criteria for Water 1986. U.S. Environmental Protection Agency, Office of Water, Washington, D.C. EPA 440/5-84-002. 25pp.
- USGS. 2005. USGS Web site: <http://waterdata.usgs.gov/nwis/>, accessed January 25, 2005.
- VADEQ. 2003. Virginia Department of Environmental Quality Annual Water Quality Monitoring Plan, Monitoring Year 2004 (1 July 2003 to 30 June 2004), 2003.
- VDEQ. 2004. Virginia Water Quality Standard. 175pp. Available at: <http://www.deq.virginia.gov/wqs/pdf/WQS04.pdf>.
- VADEQ. 2005. Virginia Department of Environmental Quality Water Quality Monitoring Data Retrieval Application: http://gisweb.deq.virginia.gov/monapp/mon_data_retrieval_app.html, accessed March 4, 2005.